

# SAFETY DATA SHEET

## ESTELITE COLOR

### 1. Identification

#### Product identifier

**Product name** ESTELITE COLOR

#### Recommended use of the chemical and restrictions on use

**Restriction on use** Light-cured Characterizing Material. For dental professionals only.

#### Details of the supplier of the safety data sheet

**Supplier** Tokuyama Dental America, Inc.  
740 Garden View CT., Suite 200 Encinitas, CA 92024 U.S.A.  
Tel: +1-760-942-7211  
Fax: +1-760-942-7212

**Contact person** <http://www.tokuyama-dental.com/tdc/contact.htm>

**Manufacturer** Tokuyama Dental Corporation  
38-9, Taitou 1-chome, Taitou-ku, Tokyo  
110-0016, Japan  
TEL: +81-3-3835-2261  
FAX: +81-3-3835-2265

#### Emergency telephone number

**Emergency telephone** Tokuyama Dental America, Inc. Tel: +1-760-942-7211  
Days and hours of operation : 9:00-17:00(PST/PDT), Weekdays, except national holidays in US.  
Language: English only.

### 2. Hazard identification

#### Classification of the substance or mixture

**WHMIS Regulatory Status** This product has been classified according to the hazard criteria of the Hazardous Product Regulations and the SDS contains all required information.

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

**Environmental hazards** Not Classified

#### Label elements

##### Pictogram



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

## ESTELITE COLOR

<b>Precautionary statements</b>	<p>P261 Avoid breathing dust.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
---------------------------------	--

### 3. Composition/information on ingredients

#### Mixtures

<p><b>POLY(OXY-1,2-ETHANEDIYL), <math>\alpha,\alpha'</math>-[(1-METHYLETHYLIDENE)DI-4,1-PHENYLENE]BIS[<math>\omega</math>-[(2-METHYL-1-OXO-2-PROPENYL)OXY]-</b></p> <p>CAS number: 41637-38-1</p>	<b>10-30%</b>
<p><b>2-PROPENOIC ACID, 2-METHYL-, 1,2-ETHANEDIYLBIS(OXY-2,1-ETHANEDIYL) ESTER</b></p> <p>CAS number: 109-16-0</p>	<b>5-10%</b>
<p><b>2-PROPENOIC ACID, 2-METHYL-, (1-METHYLETHYLIDENE)BIS[4,1-PHENYLENEOXY(2-HYDROXY-3,1-PROPANEDIYL)] ESTER</b></p> <p>CAS number: 1565-94-2</p>	<b>&lt;1%</b>
<p><b>TITANIUM DIOXIDE (TiO<sub>2</sub>)</b></p> <p>CAS number: 13463-67-7</p>	<b>&lt;0.1%</b>
<p><b>2,6-DI-<i>t</i>-BUTYL-4-METHYLPHENOL</b></p> <p>CAS number: 128-37-0</p>	<b>&lt;0.1%</b>
<p><b>PHENOL, 4-METHOXY-</b></p> <p>CAS number: 150-76-5</p>	<b>&lt;0.1%</b>

**Composition comments** All percentages displayed expressed as weight/weight.

### 4. First-aid measures

#### Description of first aid measures

## ESTELITE COLOR

<b>General information</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Inhalation</b>	Move affected person to fresh air at once. Get medical advice/attention if you feel unwell.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give plenty of water to drink. Try to induce vomiting. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Irritation of nose, throat and airway.
<b>Ingestion</b>	Ingestion may cause severe irritation of the mouth, the esophagus and the gastrointestinal tract.
<b>Skin contact</b>	Skin irritation. Allergic rash.
<b>Eye contact</b>	May cause severe eye irritation.

### Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** Extinguish with foam, carbon dioxide, dry powder or water fog.

### Specific hazards arising from the hazardous product

<b>Specific hazards</b>	In case of fire, toxic gases may be formed.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours.

**Special protective equipment for firefighters** Wear chemical protective suit.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses.

### Methods and material for containment and cleaning up

**Methods for cleaning up** Provide adequate ventilation. Collect and place in suitable waste disposal containers and seal securely.

### Reference to other sections

**Reference to other sections** For waste disposal, see Section 13.

## 7. Handling and storage

## ESTELITE COLOR

### Precautions for safe handling

#### Usage precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from heat, sparks and open flame. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours/spray and contact with skin and eyes.

#### Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes wet or contaminated. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

#### Storage precautions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid exposure to high temperatures or direct sunlight. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at temperatures between 0°C/32°F and 10°C/50°F.

#### Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.

### 8. Exposure Controls/personal protection

#### Control parameters

#### Occupational exposure limits

#### TITANIUM DIOXIDE (TiO<sub>2</sub>)

Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m<sup>3</sup>

A4

#### 2,6-DI-t-BUTYL-4-METHYLPHENOL

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m<sup>3</sup> inhalable fraction and vapor

A4

#### PHENOL, 4-METHOXY-

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m<sup>3</sup>

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

#### Exposure controls

#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Eye/face protection

The following protection should be worn: Chemical splash goggles.

#### Hand protection

Wear protective gloves.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

When using do not eat, drink or smoke. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash contaminated clothing before reuse.

#### Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

#### Appearance

Paste

## ESTELITE COLOR

<b>Colour</b>	Blue, Gray, Lavender, Ochre, Yellow, Red, Pink, White, Yellow white, Dark brown, Clear
<b>Odour</b>	Characteristic
<b>Odour threshold</b>	Not available.
<b>pH</b>	Technical impossibility to obtain the data.
<b>Melting point</b>	Not available.
<b>Initial boiling point and range</b>	Not available.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Evaporation factor</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Other flammability</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1.7
<b>Solubility(ies)</b>	Not available.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not available.
<b>Oxidising properties</b>	Not available.
<b>Other information</b>	Not available.

### 10. Stability and reactivity

<b>Reactivity</b>	Not known. See the other subsections of this section for further details.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Not known.
<b>Conditions to avoid</b>	Keep away from heat, sparks and open flame. Protect against direct sunlight.
<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
<b>Hazardous decomposition products</b>	Heating may generate the following products: Toxic gases or vapours.

### 11. Toxicological information

## ESTELITE COLOR

### Information on toxicological effects

<b>Routes of exposure</b>	Skin , Eyes , Ingestion , Health effects: See section 4. Inhalation : Titanium dioxide (TiO <sub>2</sub> ) is kneaded in the product, it does not exist as respirable particles. Due to the physical nature of this product, exposure by this route is unlikely.
<b><u>Acute toxicity - oral</u></b>	
<b>Notes (oral LD<sub>50</sub>)</b>	Not available.
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	Not available.
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Not available.
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Animal data</b>	Not available.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b><u>Respiratory sensitization</u></b>	
<b>Respiratory sensitization</b>	Not available.
<b><u>Skin sensitization</u></b>	
<b>Skin sensitization</b>	May cause an allergic skin reaction.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Not available.
<b>Genotoxicity - in vivo</b>	Not available.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	Some of the ingredients are listed or exempt.
<b>NTP carcinogenicity</b>	Some of the ingredients are listed or exempt.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Not available.
<b>Reproductive toxicity - development</b>	Not available.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	May cause respiratory irritation.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not available.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Not available.

### Toxicological information on ingredients

#### TITANIUM DIOXIDE (TiO<sub>2</sub>)

##### Carcinogenicity

## ESTELITE COLOR

**IARC carcinogenicity** IARC Group 2B Possibly carcinogenic to humans.

**NTP carcinogenicity** Reasonably anticipated to be a human carcinogen.

### 2,6-DI-t-BUTYL-4-METHYLPHENOL

#### Carcinogenicity

**IARC carcinogenicity** IARC Group 3 Not classifiable as to its carcinogenicity to humans.

**NTP carcinogenicity** Reasonably anticipated to be a human carcinogen.

## 12. Ecological Information

**Toxicity** No data available.

### Ecological information on ingredients

#### 2,6-DI-t-BUTYL-4-METHYLPHENOL

#### Chronic aquatic toxicity

**M factor (chronic)** 1

#### Persistence and degradability

**Persistence and degradability** No data available.

#### Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

#### Mobility in soil

**Mobility** No information available.

#### Other adverse effects

**Other adverse effects** Not known.

## 13. Disposal considerations

### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## 14. Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, TDG).

### UN number

**UN No. (International)** Not applicable.

### UN proper shipping name

**Proper shipping name (International)** Not applicable.

### Transport hazard class(es)

**Transport Labels (International)** No transport warning sign required.

## ESTELITE COLOR

### Packing group

**Packing group (International)** Not applicable.

### Environmental hazards

#### **Environmentally hazardous substance/marine pollutant**

No.

### Special precautions for user

Not applicable.

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

## 15. Regulatory information

**Regulatory References** According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR) Hazardous Products Regulations - SOR/2015-17. Transportation of Dangerous Goods Regulations - SOR/2015-100.

## 16. Other information

<b>Training advice</b>	Ensure operatives are trained to minimize exposure. Only trained personnel should use this material.
<b>Revision comments</b>	This is the first issue.
<b>Revision date</b>	2018-06-20
<b>Revision</b>	1
<b>Hazard statements in full</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.