



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

DENTSPLY International

DENTSPLY Pharmaceutical

Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled): 4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)
4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

Part/Item Number(s): 52216, 51116

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use: Local anesthetic solution for use in peripheral nerve blocks

Restrictions on Use: For Professional Use Only

1.3 Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name: DENTSPLY Pharmaceutical

Manufacturer/Supplier Address: 1301 Smile Way
York, PA 17404

Manufacturer/Supplier Telephone Number: 1-800-989-8825

Email address: webmaster@dentsply.com

1.4 Emergency Telephone Number:

Please report all incidents to the company contacts listed above.

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture:



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

GHS Classification:		
Health	Environmental	Physical
Not Hazardous	Not Hazardous	Not Hazardous

EU Classification: Not classified as dangerous

2.2 Label Elements:

None Required

Signal Word: None

Hazard Phrases	Precautionary Phrases
None Required	None Required

2.3 Other Hazards: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture:

Hazardous Components	C.A.S. #	EINECS #	Classification	WT %
Non-hazardous ingredients	Mixture	Mixture	Not Hazardous	96
Articaine Hydrochloride	23964-57-0	245-957-7	Xn, Xi R22, R36 Acute Tox. 4 H302 Eye Irrit. 2A H319	4
Epinephrine	51-43-4	200-098-7	T R24/25 Acute Tox 3 H301, 311	0.0005-0.001

Refer to Section 16 for the full text of the GHS and EU Classifications.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye	Flush victim's eyes with large quantities of water, while holding the eyelids apart. Get medical attention if irritation develops or persists.
Skin	Wash skin thoroughly with soap and water. Get medical attention if irritation occurs and persists. Remove and launder clothing before re-use.
Inhalation	Remove victim to fresh air. Get medical attention if symptoms of exposure occur.
Ingestion	If small quantities are swallowed, rinse out mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Get medical attention if you feel unwell.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed:

May cause slight eye and skin irritation. Skin contact may cause numbness.



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)
 4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:
Immediate medical attention should not be required.
Note to Physicians (Treatment, Testing, and Monitoring): Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media:	Use material appropriate for surrounding materials.
---------------------------------	---



5.2 Special Hazards Arising from the Substance or Mixture:
Product is not flammable. Thermal decomposition may yield chlorine or oxides of nitrogen.

5.3 Advice for Fire-Fighters:	
Fire Fighting Procedures:	Fight fire from safe distance or protected location. Water may be ineffective unless used as a fine spray or fog. Use water to cool fire-exposed containers. Contain water used in firefighting from entering sewers or natural waterways.
Precautions for Fire Fighters:	Firefighters should wear full emergency equipment and approved positive pressure self-contained breathing apparatus. Do not enter fire area without proper protection.

Recommended Protective Equipment for Fire Fighters:			
EYES/FACE	HANDS	RESPIRATORY	THERMAL
			

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:
Avoid contact with skin, eyes or clothing. Wear appropriate protective clothing as described in Section 8.

Recommended Personal Protective Equipment for Containment and Clean-up:			
EYES/FACE	HANDS	RESPIRATORY	SKIN
			



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)
 4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

6.2 Environmental Precautions:
 Report releases as required by local and national authorities.

6.3 Methods and Material for Containment and Cleaning up:
 Contain and collect using an inert absorbent material and place in appropriate containers for disposal. Clean spill site with water.

6.4 Reference to Other Sections:
 Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:
 Avoid contact with skin, eyes or clothing. Wear protective clothing and equipment as described in Section 8. Avoid breathing mists or vapors. Wash thoroughly with soap and water after handling.

7.2 Conditions for Safe Storage, Including Any Incompatibilities: Store in accordance with label recommendations.

7.3 Specific End Use (s): For professional use only.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Occupational Exposure Limits:

Non-hazardous Ingredients	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	European Union	None Established
Articaine Hydrochloride	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	European Union	None Established



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

Epinephrine	United States	None Established
	Germany	None Established
	United Kingdom	None Established
	European Union	None Established
Biological Exposure Limits: None Established		

8.2 Exposure Controls:			
Appropriate Engineering Controls: Use with local exhaust ventilation to minimize exposure levels.			
Individual Protection Measures (PPE):			
<p>Specific Eye/face Protection: Follow facility requirements. Wear safety glasses when the possibility exists for eye contact due to splashing or spraying material.</p> <p>Specific Skin Protection: Follow facility requirements. Wear impervious gloves to prevent skin contact.</p> <p>Specific Respiratory Protection: Follow facility requirements.</p> <p>Specific Thermal Hazards: None required.</p>			
Recommended Personal Protective Equipment			
EYES/FACE	HANDS	RESPIRATORY	SKIN

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance:	Clear, colorless liquid	Explosive limits:	LEL: Not available UEL: Not available
Odor:	Odorless	Vapor pressure (mmHg):	17 mm Hg @ 20°C
Odor threshold:	Not available	Vapor density:	0.6
pH:	Not available	Relative density:	1.0



MATERIAL SAFETY DATA SHEET

4% Articadent™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articadent™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

Melting/freezing point:	32°F (0°C)	Solubility(ies):	Complete
Initial boiling point and boiling range:	212°F (100°C)	Partition coefficient: n-octanol/water:	Not available
Flash point:	Not flammable	Auto-ignition temperature:	Not available
Evaporation rate:	1	Decomposition temperature:	Not available
Flammability (solid, gas):	Not applicable	Viscosity:	Not available
Explosive Properties:	None	Oxidizing Properties:	None

9.2 Other Information: None available

10. STABILITY AND REACTIVITY

10.1 Reactivity: Not reactive.

10.2 Chemical Stability: Stable.

10.3 Possibility of Hazardous Reactions: None known.

10.4 Conditions to Avoid: None known.

10.5 Incompatible materials: Avoid contact with water-reactive materials.

10.6 Hazardous Decomposition Products: Chlorine and oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eyes: Liquid can cause slight irritation with tears and blurred vision. May cause numbness of sensation.

Skin: May cause slight skin irritation and numbness.

Ingestion: May cause slight gastrointestinal irritation.

Inhalation: May cause slight respiratory tract irritation with coughing and anesthetic effects.



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

Chronic Health Effects: May cause hypersensitivity.
Irritation: May cause slight eye and skin irritation.
Corrosivity: No data available.
Sensitisation: None known.
Carcinogenicity: None of the components are listed as carcinogens by OSHA, IARC, NTP, ACGIH or the EU CLP.
Mutagenicity: Articaine Hydrochloride: Five standard mutagenicity tests, including three <i>in vitro</i> tests (the nonmammalian Ames test, the mammalian Chinese hamster ovary chromosomal aberration test, and a mammalian gene mutation test with articaine HCl) and two <i>in vivo</i> mouse micronucleus tests (one with articaine and epinephrine 1:100,000 and one with articaine HCl alone) showed no mutagenic effects.
Medical Conditions Aggravated by Exposure: None known.
Acute Toxicity Data: Articaine hydrochloride: Intravenous mouse LD50 37 mg/kg; Oral rat LD50 980 mg/kg Epinephrine: Dermal rat LD50 5 mg/kg ATE _{mix} : Oral LD50: 25,000 mg/kg; Dermal LD50 500,000 mg/kg
Reproductive Toxicity Data: No effects on male or female fertility were observed in rats for articaine and epinephrine 1:100,000 administered subcutaneously in doses up to 80 mg/kg/day (approximately 2 times the MRHD based on body surface area).
Specific Target Organ Toxicity (STOT): Single Exposure: None known. Repeated Exposure: Repeat or chronic exposure may cause hypersensitivity and the development of methemoglobinemia.

12. ECOLOGICAL INFORMATION

12.1 Toxicity: No data available.
12.2 Persistence and Degradability: No data available.
12.3 Bio-accumulative Potential: No data available.
12.4 Mobility in Soil: No data available.
12.5 Results of PBT and vPvB Assessment: No data available.



MATERIAL SAFETY DATA SHEET

4% Articadent™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articadent™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

12.6 Other Adverse Effects: No adverse effects are expected

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Regulations: Dispose in accordance with all national and local regulations.

Properties (Physical/Chemical) Affecting Disposal: This product will polymerize when exposed to sunlight. Empty containers retain product residues and can be hazardous. Follow all SDS precautions when handling empty containers.

Waste Treatment Recommendations: Dispose in accordance with national and local regulations.

14. TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
DOT	None	Not Regulated	None	None	Not applicable
ADR/RID	None	Not Regulated	None	None	Not applicable
IMDG	None	Not Regulated	None	None	Not applicable
IATA/ICAO	None	Not Regulated	None	None	Not applicable

14.6 Special Precautions for User: Not applicable.

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): This product is not subject to reporting under CERCLA. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Toxic Substances Control Act (TSCA): This product is a medical device and not subject to chemical notification requirements.

Clean Water Act (CWA): This material is not regulated under the Clean Water Act.

Clean Air Act (CAA): This material is not regulated under the Clean Air Act.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

Immediate Hazard:	No	Pressure Hazard:	No
Delayed Hazard:	No	Reactivity Hazard:	No
Fire Hazard:	No		

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

Components	C.A.S. #	WT %
None		

State Regulations

California: This product contains the following substances known to the state of California to cause cancer and/or reproductive toxicity:

Components	C.A.S. #	WT %
None		

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): Medical devices are not subject to WHMIS.

Canadian Environmental Protection Act: This product is a pharmaceutical formulation and not subject to chemical notification requirements.

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

European Inventory of Existing Chemicals (EINECS): This product is a pharmaceutical formulation and not subject to chemical notification requirements.

EU REACH: This product is a pharmaceutical formulation and not subject to chemical notification requirements.

Australian Inventory of Chemical Substances: This product is a pharmaceutical formulation and not subject to chemical notification requirements.

China Inventory of Existing Chemicals and Chemical Substances: This product is a pharmaceutical formulation and not subject to chemical notification requirements.

Japanese Existing and New Chemical Substances: This product is a pharmaceutical formulation and not subject to chemical notification requirements.

Korean Existing Chemicals List: This product is a pharmaceutical formulation and not subject to chemical notification requirements.



MATERIAL SAFETY DATA SHEET

4% Articaident™ Dental with epinephrine 1:100,000 (Articaine hydrochloride and Epinephrine)

4% Articaident™ Dental with epinephrine 1:200,000 (Articaine hydrochloride and Epinephrine)

MSDS-013-ARTICADENT-US REV.00, November 2014

Philippine Inventory of Chemicals and Chemical Substances: This product is a pharmaceutical formulation and not subject to chemical notification requirements.

15.2 Chemical Safety Assessment: None required.

16. OTHER INFORMATION

HMIS Hazard Rating:

Health – 1 Flammability – 0 Physical Hazard – 0

Full text of Classification abbreviations used in Section 2 and 3:

Xn Harmful

Xi Irritant

T Toxic

R22 Harmful if swallowed.

R24/25 Toxic in contact with skin and if swallowed.

R36 Irritating to eyes.

Acute Tox. 3 Acute Toxicity Category 3

Acute Tox. 4 Acute Toxicity Category 4

Eye Irrit. 2 Eye Irritation Category 2

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Fatal in contact with skin.

H319 Causes serious eye irritation.

Supersedes: 19 July 2013

Date of Current Revision: 9 October 2014

Revision Summary: Converted MSDS to Reach SDS. Updated all sections.

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.