

# MATERIAL SAFETY DATA SHEET

ITEM NO: L50TR-P

---

## 1. SUBSTANCE/PREPARATION AND COMPANY NAME

ITEM NO: L50TR-P

PRODUCT NAME: PE PROTECTIVE FILM

MANUFACTURE: WUXI QIDA TAPE CO.,LTD

ADDRESS: NO 18 WANSHOU ROAD,QIANZHOU TOWN,WUXI, CHINA

EMERGENCE &PRODUCT INFORMATION PHONE:+86-510-83452956

## 2. PHYSICAL DATA

Melting point :110/85°C

Boiling Point : Not applicable

Vapour Pressure : Not applicable

Solubility in Water : Nil.

Specific Gravity :: 0.925

Appearance : Clear

Odor : Small acidity

## 3. FIRE AND EXPLOSION HAZARD DATA

Flash Point : Not applicable

Method Used : Not applicable

Flammable Limits : UFL-Not applicable

LFL-Not applicable

Extinguishing : Water fog, foam, alcohol resistant foam, CO2, dry chemical.

Media

Fire & Explosion : Dense smoke emitted when burned without sufficient oxygen.

Hazards Accumulation of fine dust particles could pose a dust explosion

hazard.

**Fire-Fighting** :Wear positive pressure, self-contained breathing apparatus in  
**Equipment** any closed space.

Page:2 / 3

#### 4. REACTIVITY DATA

**Stability** : Temperatures over 500°F ( 260°C ) , will release combustible  
(Conditions to avoid) gases.

**Incompatibility** (Specific materials to avoid)

**Hazardous** : Combustible gases when exposed to temperature over 500°F

**Decomposition** (260°C)

**Products**

**Hazardous** :Will not occur.

**Polymerization**

#### 5. HEALTH HAZARD DATA

**Eye** :Solid or dust may cause irritation or corneal injury due to mecha  
action.

**Skin Contact** :Essentially non-irritating to skin. Mechanical injury only.

**Skin Absorption** :Skin absorption is unlikely due to physical properties.

**Ingestion** :Single dose oral toxicity is believed to be very low. No hazards  
anticipated from ingestion incidental to industrial exposure.

**Inhalation** :Single exposure to dust is not likely to be hazardous.

**Systemic & Other Effects** :Additives are encapsulated in the product and are not expected to be released under normal processing conditions.

## 6. FIRST AID

**Eyes** :Irrigate immediately with water for at least 5 minutes mechanical effects only.

**Skin** :Wash off in flowing water or shower.

**Ingestion** :No adverse effects anticipated by this route of exposure incidental to proper industrial handling.

**Inhalation** :No adverse effects anticipated by this route of exposure incidental to proper industrial handling.

Page:3 / 3

## 7. HANDLING PRECAUTIONS

**Exposure** :Although some of the additives used in this product may have

**Guideline (s)** exposure guidelines, those additives are encapsulated in the product and no exposure would be expected under normal handling conditions

**Ventilation** :Good general ventilation should be sufficient for most conditions.  
Local exhaust ventilation may be necessary for some operations.

**Respiratory** :For most conditions, no respiratory protection should be needed,

**Protection**        however, if handling at elevated temperatures without sufficient ventilation, use an approved air-purifying respirator.

**Skin Protection**    :No precautions other than clean body-covering clothing should be needed.

**Eye Protection**    :Use safety glasses. If there is a potential for exposure to particles which could cause mechanical injury to the eye, wear chemical goggles.

## 8. **ADDITIONAL INFORMATION**

Special Precautions to be Taken: Practice reasonable care and caution in handling.  
in Handling and Storage

**NOTE:** Information given herein is offered in good faith as accurate, but without guarantee.

Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and we expressly disclaim all warranties of every kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.